



OCT - 6 2003

Food and Drug Administration
9200 Corporate Boulevard
Rockville MD 20850

Danielle Alacron
Regulatory Affairs Specialist
Advanced Neuromodulation Systems, Inc.
6501 Windcrest Drive, Suite 100
Plano, Texas 75024

Re: K032751

Trade/Device Name: *Renew*TM Lead Extension
Regulation Number: 21 CFR 882.5880
Regulation Name: Implanted Spinal Cord Stimulator for Pain Relief
Regulatory Class: Class II
Product Code: GZB
Dated: September 4, 2003
Received: September 5, 2003

Dear Ms. Alacron:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.


If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set

forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050. This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801 and additionally 21 CFR Part 809.10 for in vitro diagnostic devices), please contact the Office of Compliance at (301) 594-4659. Additionally, for questions on the promotion and advertising of your device, please contact the Office of Compliance at (301) 594-4639. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). Other general information on your responsibilities under the Act may be obtained from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (301) 443-6597 or at its Internet address <http://www.fda.gov/cdrh/dsma/dsmamain.html>

Sincerely yours,

A handwritten signature in black ink, appearing to read "Celia M. Witten", is written over the typed name.

Celia M. Witten, Ph.D., M.D.

Director

Division of General, Restorative
and Neurological Devices

Office of Device Evaluation

Center for Devices and

Radiological Health

Enclosure

510(k) Number (if known):


Device Name: *Renew*TM Lead Extension

Indications For Use:

ANS *Renew* Lead Extensions are indicated for the treatment of chronic pain of the trunk and limbs, either as the sole mitigating agent, or as an adjunct to other modes of therapy used in a multidisciplinary approach. Lead Extensions are intended to be used with Advanced Neuromodulation Systems', leads, receivers, transmitters, and antennae.

(PLEASE DO NOT WRITE BELOW THIS LINE – CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, office of Device Evaluation (ODE)


Division Sign-Off)
Division of General, Restorative
and Neurological Devices

510(k) Number K032751

Prescription Use __

Or

Over-The-Counter Use __

(Per 21 CFR 801.109)

000004